

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Servants - Panchayat Raj and Rural Development Department – Allegations of execution of substandard road works by Panchayat Raj Department in Kadapa District against Sri T. Bala Subba Rao, Deputy Executive Engineer, PIU, Panchayat Raj Sub Division, Muddanur, Kadapa District – Departmental proceedings initiated under Rule 20 of Andhra Pradesh Civil Services (CC&A) Rules, 1991 – Article of Charges – Issued.

=====

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.II) DEPARTMENT

G.O.Rt.No. 640

Dated: 07.05.2014

Read:

From the DG, Vig. & Enft. & E.O. Prl. Secy., to Govt., Appraisal Report No.112 (1181/V&E/E2/2010, dated.29.10.2011.

ORDER:

It is proposed to hold an inquiry against Sri T. Bala Subba Rao, Deputy Executive Engineer, PIU, Panchayat Raj Sub Division, Muddanur, Kadapa District in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991.

2. The substance of the imputations of misconduct or misbehaviour in respect of which the inquiry is proposed to be held is set out in the enclosed statement of articles of charges (Annexure-I). A list of documents by which and list of witnesses, by whom, the articles of charges are proposed to be sustained are also enclosed (Annexure-II and III).

3. Sri T. Bala Subba Rao, Deputy Executive Engineer, PIU, Panchayat Raj Sub Division, Muddanur, Kadapa District, is directed to submit within ten (10) days of the receipt of this order, a written statement of his defence.

4. Sri T. Bala Subba Rao, Deputy Executive Engineer, PIU, Panchayat Raj Sub Division, Muddanur, Kadapa District is informed that an inquiry will be held only in respect of those articles of charge as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri T. Bala Subba Rao, Deputy Executive Engineer, PIU, Panchayat Raj Sub Division, Muddanur, Kadapa District is further informed that if he does not submit his written statement of defence on or before the date specified in para 3 above or otherwise fails or refuses to comply with the provisions of rule 20 of Andhra Pradesh Civil Services (CCA) Rules, 1991 or the order/directions issued in pursuance of the said rules, the Inquiry Authority may hold the inquiry against him ex-parte, based on the material available on record.

6. Attention of Sri T. Bala Subba Rao, Deputy Executive Engineer, PIU, Panchayat Raj Sub Division, Muddanur, Kadapa District, is invited to Rule 24 of the A.P. Civil Services (Conduct) Rules, 1964, under which no Government servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt with these proceedings it will be presumed that he is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of rule 24 of the A.P. Civil Services (Conduct) Rules, 1964.

Contd....

7. The receipt of this G.O. shall be acknowledged forthwith.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

DR.K.S.JAWAHAR REDDY
SECRETARY TO GOVERNMENT (PR)

To

Sri T. Bala Subba Rao, Deputy Executive Engineer, PIU,
Panchayat Raj Sub Division, Muddanur, Kadapa District through
the Engineer-in-Chief, PR, Hyderabad.

The Engineer-in-Chief, PR, Hyderabad.

(with a request to serve and return the acknowledged copy and W.S.D.)

Copy to:

The P.S. to Prl.Secy. (PR)

SF/SC

// FORWARDED: BY : ORDER//

SECTION OFFICER

ANNEXURE-I

STATEMENT SHOWING THE ARTICLE OF CHARGE FRAMED AGAINST SRI T. BALA SUBBA RAO, DEPUTY EXECUTIVE ENGINEER, PIU, PANCHAYAT RAJ SUB DIVISION, MUDDANUR, KADAPA DISTRICT

CHARGE :

That the said Sri T. Balasubba Rao, DEE (PR) has committed certain irregularities for substandard execution of road work i.e. Providing BT to the R/f Sankepalli (Penna River) to K. Sirigepalli and failed to alert the farmers in not laying the pipe lines along with shoulder portion and in contravention of APCS (Conduct) Rules, 1964.

BASIS:

Vide Vigilance Appraisal Report No.112(1181/V&E/E2/2010), Dated: 29.10.2011 of the Director General (Vig. & Enft.) & Ex. Officio Principal Secretary to Government, G.A.D., the V&E has conducted an enquiry on the petition of Sri P. Rama Subba Reddy, former Minister, on the allegations of substandard execution of road works executed in Kadapa district and observed the following:

Heavy damage to the roads in reaches KM 0/4 to Km 1/7 and in KM 2/4 to KM 3/0 within one year of execution cannot be attributed to the leakage of water from pipes but to the substandard execution of the road work and as such the road in the above reaches should be brought to the original condition at the cost of contractor.

The NQM in his report dt.16.09.08 reported that the work was executed un-satisfactorily. The EE in his action taken report dt.23.01.10 indicated that the remarks of the NQM were attended. The inspection of the road by V&E officials reveal the road was heavily damaged in the reaches KM 0/4 to KM 1/7 and in KM 2/4 to KM 3/0 and it shows that the ATR of the EE is not correct.

Hence the charge

DR.K.S.JAWAHAR REDDY
SECRETARY TO GOVERNMENT (PR)

SECTION OFFICER

ANNEXURE-II

**LIST OF THE DOCUMENTS BY WHICH THE ARTICLE OF CHARGE
FRAMED AGAINST SRI T. BALA SUBBA RAO, DEPUTY EXECUTIVE
ENGINEER, PIU, PANCHAYAT RAJ SUB DIVISION, MUDDANUR, KADAPA
DISTRICT IS PROPOSED TO BE SUSTAINED.**

Appraisal Report No. 112(1181/V&E/E2/2010), Dt.29.10.2011 of the
Director General, Vigilance & Enforcement, G.A.D

DR.K.S.JAWAHAR REDDY
SECRETARY TO GOVERNMENT (PR)

SECTION OFFICER

ANNEXURE-III

**LIST OF THE WITNESSESS BY WHOM THE ARTICLE OF CHARGE
FRAMED AGAINST SRI T. BALA SUBBA RAO, DEPUTY EXECUTIVE
ENGINEER, PIU, PANCHAYAT RAJ SUB DIVISION, MUDDANUR, KADAPA
DISTRICT IS PROPOSED TO BE SUSTAINED.**

-NIL-

DR.K.S.JAWAHAR REDDY
SECRETARY TO GOVERNMENT (PR)

SECTION OFFICER